


**VORALUX™ HF 505**  
POLYOL

**DIMENSIONS**



**PARAMETERS**

- Ergonomics
- Elasticity
- Durability
- Support

Microclimate

- Temperature
- Humidity
- Freshness

Sensation

- Touch
- Imprint
- Travel



**BENEFITS**

Offering very high elasticity and exceptional support, VORALUX™ HF 505 makes a great all-round mattress material. As a base, it effectively supports loads and helps prolong comfort life. As a top layer, it shows very fast recovery – bouncing back to its original shape with a spring-like quality.

**TYPICAL PROPERTIES**

	Nominal Value	Unit	Test Method
Hydroxyl Number, as KOH	27.5 to 31.5	mg KOH/g	ASTM D4274
Viscosity (25°C)	1400 to 1600	cSt	ASTM D445
Water, max.	0.080	wt%	ASTM D4672

**VISCOSITY vs. TEMPERATURE**






---

## THERE'S MORE TO DISCOVER

At its very simplest, **ComfortScience** is how we develop and apply scientific knowledge to help people achieve comfort. But as you'll discover, there's much more to it than that.

Learn more at [comfortscience.com](http://comfortscience.com)



EXPLORE COMFORTSCIENCE

---

No freedom from infringement of any patent owned by Dow or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, the Customer is responsible for determining whether products and the information in this document are appropriate for the Customer's use and for ensuring that the Customer's workplace and disposal practices are in compliance with applicable laws and other governmental enactments. Dow assumes no obligation or liability for the information in this document. No warranties are given; all implied warranties of merchantability or fitness for a particular purpose are expressly excluded. This document is intended for global use.